



# REDEFINING REFINISH

Redefine refinishing with Sherwin-Williams® Ultra 9K™. An innovative waterborne basecoat system with a straightforward application process delivering premium results. A refinishing solution with toners rich in pigment, intensity and effect - to match all Original Equipment Manufacturer colors currently available in the market. Backed by Ultra System ancillaries - high-performance cleaners, additives, primers/surfacers and clears, guaranteeing a complete system for outstanding results.

Ultra 9K goes beyond color accuracy, our customers receive the latest technology, color tools and world-class service. At Sherwin-Williams, it is our people who make the difference to our customer's business, accelerating their performance to achieve sustainable growth and profitability, both now and in the future.

Take your shop to the next level with Ultra 9K and Ultra System.

**WE ARE SHERWIN-WILLIAMS®.**





# WORLD CLASS COLOR SUPPORT

**We are a recognised leader in coatings. We are a recognised leader in color - it is the core of our business. In our laboratories, the world's top researchers using top-of-the-line equipment collectively provide our customers with the best color information—thousands of formulas each year. We also work to deliver premium color resources ranging from retrieval software for 24/7 assistance to chipped tools like our Global Color Box featuring 8,000 OEM color samples—when you need a sprayout in-hand to get the job done.**

## **COLOR RETRIEVAL SOFTWARE**

With the vast and increasing range of color variants available, and ever demanding customers, getting the color right the first-time and quickly is paramount to the success of any collision center. Time is money and reputations are precious. Any time wasted retrieving the right color has a negative effect on a painter's productivity and the collision center's profit. Sherwin-Williams® Collision Core™ Color gets you to the right color - instantaneously. Cloud-based and updated in real-time, Collision Core Color gives you access to the latest colors and variants from any location, at any time and on any web-enabled device. The optimised touch screen interface coupled with the intuitive guided search functionality makes the user experience effortless. Collision Core Color also offers management system connectivity for an intuitive, speedy and instantaneous color retrieval user experience.

## **GLOBAL COLOR BOX**

The Sherwin-Williams® Global Color Box gives you access to more than 8,000 color chips representative of all of the OEMs around the world. Fan decks are organised by OEM to make finding a color easier and with the color chip in-hand, you can achieve a match quicker. With the Global Color Box, you have a comprehensive color library in-house that includes newly released OEM color trends and stylings; we work with you to provide updates throughout the year to keep your system current and you on task with repair work.

## **SPECTROPHOTOMETER**

The 5-Angle Spectrophotometer enables you to click and capture multiple angles of the color for analysis and accuracy, and with connectivity to the color retrieval software, you have access to the newest documentation in the industry—getting you to the right formula, right now. The 5-Angle Spectrophotometer is easy-to-use; we provide you with both written and digital how-to guides for the camera as well as the Collision Core Color retrieval platform. The 5-Angle Spectrophotometer also offers easy calibration for ongoing maintenance and comes with a base station to prolong the lifetime of the device.

The Spectro Base Station (OPTIONAL) protects the 5-angle Spectrophotometer from falling and from exposure to dust, dirt and other contaminants that can interfere with performance. The Spectro Base Station also features a dedicated space to store the tile box.

## **COLOR INFORMATION BOOKS (OPTIONAL)**

Our Color Information Books further augment the color tool assortment available to support the Ultra 9K waterborne basecoat system. Two books specific to Ultra 9K - Solid Colors and Basecoat Colors - feature an expansive selection of sprayouts—more than 3,000 colors per book to help you achieve a match. Extremely user-friendly, you can browse by paint code (if you have it) or by color family.

**For additional color support and resources, visit [sherwin-automotive.com](http://sherwin-automotive.com).**



# OUR STORY OUR PROMISE

# PRODUCT PORTFOLIO

Surface Preparation	<b>6-10</b>
Additives	<b>11-12</b>
Primers/Surfacers/Undercoats	<b>13-20</b>
Color System/Toners	<b>21-24</b>
Activators and Reducers	<b>25-26</b>
Clears	<b>27-34</b>

Our history in automotive refinishing dates back to 1894 when we were among the first to bring a coating to market specific to transportation; it was a paste-based product called Q.D. Coach Colors—Q.D. for “quick drying”. Primers, fillers, color, gear paint and varnishes quickly followed and by the mid-1950s, we combined the speed of a lacquer system with the characteristics of an enamel finish—resulting in the industry’s first acrylic enamel. By 1970, there were 50 Sherwin-Williams Automotive Finishes service centers across the U.S. Today, that number has grown to more than 150 company-owned stores dedicated to providing our customers with superior service, technical training and business consulting. We continue to innovate and drive the industry with technologies like Ultra 9K™—premium refinish systems and collision repair products that push production and profits.

**That’s our promise to you.**



# SURFACE PREPARATION

## R7K156

### SOLVENT CLEANER (STRONG)

Use R7K156 Solvent Cleaner (Strong) to remove wax, oil, grease and silicone contaminants from all OEM enamel and cured-enamel finishes.

SIZE AVAILABLE  
GALLON, 5-GALLON

## SC155

### AQUA-PREP LOW VOC SURFACE CLEANER

SC155 AQUA-PREP Low VOC Surface Cleaner is a waterbased emulsion that contains a surface active detergent and a special blend of solvents to remove waterborne contaminants and mold release agents from plastic substrates.

SIZE AVAILABLE  
QUART

## USP90

### LIQUID SCUFFING AGENT

USP90 Liquid Scuffing Agent is used along with a scuff pad to properly prepare surfaces for painting. This scuffing agent provides more comprehensive abrasion for better paint adhesion.

SIZE AVAILABLE  
21 OZ/620 ML

## R7K158

### SURFACE CLEANER - FAST

Also solventbased, R7K158 Surface Cleaner - Fast is designed to remove debris from any and all OEM finishes, and evaporates quickly.

SIZE AVAILABLE  
QUART, GALLON, 5-GALLON

## SC159

### PLASTIC SURFACE CLEANER/ANTI-STATIC

SC159 Plastic Surface Cleaner/Anti-static is a solventbased cleaner specifically designed to remove solventborne contaminants. While deep cleaning the plastic substrate to remove mold release agent, SC159 also removes static build-up.

SIZE AVAILABLE  
GALLON

## 4600800

### WATERBORNE SPRAY GUN & SURFACE CLEANER

The 4600800 Waterborne Spray Gun & Surface Cleaner serves dual purposes—it can be used on OEM topcoats, primers and refinish undercoats and it can be used to remove basecoat from spray equipment.

SIZE AVAILABLE  
GALLON, 5-GALLON



Clean equipment and surfaces are fundamental for a premium quality finish. Sherwin-Williams cleaning agents prepare the substrates ensuring a clean base ready for paint.

## ULTRA SYSTEM CLEAN SURFACE

---

Lift dirt that cannot be removed by a solvent cleaner with this waterbased cleaner, we recommend use after a solvent based cleaner for optimal results.

Easily remove grease, oil and tarmac with this solvent based surface cleaner/degreaser. Use as a pre-cleaner before using a waterbased cleaner for optimal results.

<b>CL710</b>	WATER	5 LITER
<b>CL790</b>	SOLVENT	1 LITER, 5 LITER

## CL770

---

### ULTRA SYSTEM CLEAN ANTISTATIC DEGREASE

A waterbased antistatic cleaner that can discharge static electricity from plastic parts, as well as effectively clean dirt that cannot be removed with a solvent cleaner. Use after a solvent based cleaner for optimal results.

SIZE AVAILABLE

5 LITER

## ULTRA SYSTEM CLEAN GUN

---

Our spray gun cleaners efficiently and effectively clean solvent and waterbased products from the spray gun. The solvent based cleaner can also be used in a gun cleaning machine.

<b>CL720</b>	WATER	5 LITER
<b>CL780</b>	SOLVENT	5 LITER



# ADDITIVES

Sherwin-Williams additives are designed to alter the features and consistency of our clears and Ultra 9K basecoat.

## ULTRA SYSTEM ADDITIVE TEXTURE

The texture additive can be mixed with Sherwin-Williams Ultra System 2K clears to give a fine or coarse finish depending on the desired result. It can also be used on certain plastic parts.

<b>AD820</b>	<b>FINE</b>	<b>1 LITER</b>
<b>AD830</b>	<b>COARSE</b>	<b>1 LITER</b>

## AD850

### ULTRA SYSTEM ADDITIVE ELASTIFY

Give Sherwin-Williams Ultra System 2K clears application flexibility on plastic parts such as bumpers and spoilers with this additive. The more product added the more flexible the clear becomes.

#### SIZE AVAILABLE

1 LITER

## AD860

### ULTRA SYSTEM ADDITIVE ACCELERATOR

Enhance the drying times of the Sherwin-Williams Ultra System CC166 Clear Speed and CC140 Clear Elite Gloss with this accelerating additive.

#### SIZE AVAILABLE

1 LITER

## AD890

### ULTRA SYSTEM ADDITIVE MASKING

This additive for multi-color paint work and striping on commercial vehicles and passenger cars allows you to apply multiple colors within a short time frame.

#### SIZE AVAILABLE

1 LITER

## U9A1

### ULTRA SYSTEM UNDERHOOD ADDITIVE

Developed to make Ultra 9K basecoat highly durable and suitable for use on the engine bay, boot and interiors without the need for a clear.

#### SIZE AVAILABLE

1 LITER



P599A

P530A

# PRIMERS/SURFACERS/ UNDERCOATS

Our best, our most tried and true undercoats. You know them as PREMIUM. Each and every one is recognised in the industry as productive, versatile, reliable—trusted to deliver on the Sherwin-Williams repair promise.

## ULTRA SYSTEM PRIME PRODUCTION NS

High production non-sanding primers which can be applied on all common automotive substrates, as well as directly on e-coat without sanding. Its impressive 48-hour re-coating window makes it optimal for bulk priming. It is available in 3 shades, which can be mixed to match the grey shades available in the Color Retrieval System.

<b>P530A</b>	GRAY	3 LITER
<b>P530B</b>	BLACK	3 LITER
<b>P530W</b>	WHITE	3 LITER

## ULTRA SYSTEM PRIME PLASTIC ADHESION

Ready to use 1K primer that can be applied to the most common plastics such as PP, EPDM and ABS. It is mixable with the Sherwin-Williams Ultra System Prime Production primers and is re-coatable with all Sherwin-Williams Ultra System 2K Primer/Surfacers and Ultra 9K basecoat.

<b>P580</b>	LIQUID	1 LITER
<b>P580</b>	SPRAY	0.4 LITER

## P577

### PRIME EPOXY ELITE

P577 Ultra System Prime Epoxy Elite has been specifically developed for durable systems. It offers excellent adhesion on most types of aluminum, stainless steel and cast iron. It can be used sanding and non-sanding. It has been approved by certain OEM manufacturers.

#### SIZE AVAILABLE

GALLON

## ULTRA SYSTEM PRIME SHADE

Ideal for small repairs and sanded through areas, this primer comes in an aerosol canister making it quick to use as no mixing is required, it's easy to sand and provides excellent coverage. It is available in 3 shades, which can be mixed to match the grey shades available in the color retrieval system.

<b>P590LG</b>	LIGHT GRAY	0.4 LITER
<b>P590MG</b>	MID GRAY	0.4 LITER
<b>P590W</b>	WHITE	0.4 LITER

## P588

### ULTRA SYSTEM PRIME CORROSION PROTECTOR

This primer adheres to bare metal as well as most aluminum used in car refinish. It can give excellent adhesion and corrosion protection on the substrate and the next layer. With an 8-hour pot life, it can be effectively used throughout the working day. It comes with a dedicated Activator, AC88 Ultra System Activator Corrosion Protector.

#### SIZE AVAILABLE

1 LITER, 5 LITER

## ULTRA SYSTEM PRIME UV

This ready to use UV primer is curable using UV technology for fast and eco-friendly drying. Offering a high film build and easy sanding, it can be used on all common refinish substrates.

<b>UVP1</b>	SPRAY	0.4 LITER
<b>UVP1</b>	LIQUID	1 LITER



## E2G970

### CORROSION SHIELD® LCF WASH PRIMER

E2G970 Corrosion Shield® LCF Wash Primer promotes direct-to-metal adhesion (steel, aluminum and many zinc coated metals) and corrosion resistance. This etching primer is suited for bare metal parts or sand-throughs to bare metal. Lead and chromate free.

#### SIZE AVAILABLE

QUART, GALLON

**MIX RATIO:** 2:3

REDUCER

**R7K971** CORROSION | GALLON  
SHIELD®  
LCF WASH  
PRIMER  
REDUCER

## UPO7229

### PLASTIC ADHESION PROMOTER - CLEAR

UPO7229 Plastic Adhesion Promoter - Clear is designed for refinishing thermoplastic bumper covers and other exterior and interior plastics. Mix with P30 Primer to create a tinted adhesion promoter for bare plastics (see PDS). Non-sanding, fast-drying.

#### SIZE AVAILABLE

QUART, GALLON

## UPO7228

### LOW VOC PLASTIC ADHESION PROMOTER - CLEAR

UPO7228 Low VOC Plastic Adhesion Promoter is a single component adhesion promoter designed for refinishing thermoplastic bumper covers and other exterior and interior plastics. Mix with P30 Primer to create a tinted adhesion promoter for bare plastics - see PDS. Non-sanding, fast-drying.

#### SIZE AVAILABLE

QUART, AEROSOL

## P577

### PRIME EPOXY ELITE

P577 Ultra System Prime Epoxy Elite has been specifically developed for durable systems. It offers excellent adhesion on most types of aluminum, stainless steel and cast iron. It can be used sanding and non-sanding. It has been approved by certain OEM manufacturers.

#### SIZE AVAILABLE

GALLON

# P27 PRIMER SURFACER/SEALER SYSTEM

The SpectraPrime® P27 Primer Surfacer/Sealer System delivers the same performance, versatility and productivity as P30, and superior holdout, resistance to film shrinkage and easy sanding. Use any of the eight as standalone colors or mixed together. No flex additive required for plastic parts repair/refinishing and meets the 2.1 lbs/gal VOC compliance.

<b>P27</b> GRAY		QUART, GALLON
<b>P27B</b> BLACK		GALLON
<b>P27G</b> GREEN		QUART
<b>P27L</b> BLUE		QUART
<b>P27R</b> RED		QUART
<b>P27T</b> TAN		QUART
<b>P27W</b> WHITE		GALLON
<b>P27Y</b> YELLOW		QUART

## SPEED PRIMER SURFACER

- Recognised as the industry's most productive primer
- Patented air-dry technology – sand in 15 minutes @ 75° F
- Wet-on-wet application – less time in the booth
- Complete a repair in less than 45 minutes when used with HPC21 HP Process Clearcoat

## BUMPER, CLADDING AND UNDERHOOD APPLICATION OPTIONS

- Hundreds of OEM color matches

### MIX RATIO

**SURFACER:** 4:1:1 | **SPEED:** 2:1:2  
**SEALER:** 4:2:2:4

## PRIMER SURFACER

- Wet-on-wet application – less time in the booth
- Excellent sprayability, flow and leveling
- Built-in guidecoat simplifies sanding

HARDENERS

<b>H45</b> SPECTRAPRIME® LOW VOC HARDENER		QUART
<b>UH900</b> LOW VOC HARDENER		QUART, GALLON

## PRIMER SEALER

- Improves shop productivity
- Wet-on-wet application – less time in the booth
- Excellent sprayability, flow and leveling

REDUCERS

<b>AS9</b> LOW VOC ACCELERATED REDUCER		GALLON
<b>ES15</b> COMPLIANT SOLVENT #2		QUART, GALLON
<b>ES20</b> COMPLIANT SOLVENT #3		QUART, GALLON
<b>ES25</b> COMPLIANT SOLVENT #4		GALLON
<b>SR16</b> SPECTRAPRIME® SPEED REDUCER		QUART
<b>S47</b> LOW VOC 2K PRIMER SEALER CONVERTER		QUART, GALLON

# P30 PRIMER SURFACER/SEALER SYSTEM

The SpectraPrime® P30 Primer Surfacer/Sealer System is a premium quality 2K-urethane offering that utilises state-of-the-art Ure-Flex® Technology to provide the ultimate in performance, versatility and productivity. The P30 System offers eight FPC colors that can be used by themselves or in combination to provide an unlimited color palette. Expect best-in-class gloss holdout, resistance to film shrinkage and easy sanding. The P30 System does not require the addition of a flex additive for plastic parts repair/refinishing.

<b>P30A</b> GRAY		QUART, GALLON
<b>P30B</b> BLACK		QUART, GALLON
<b>P30G</b> GREEN		QUART
<b>P30L</b> BLUE		QUART, GALLON
<b>P30R</b> RED		QUART, GALLON
<b>P30T</b> TAN		QUART, GALLON
<b>P30W</b> WHITE		QUART, GALLON
<b>P30Y</b> YELLOW		QUART, GALLON

## SPEED PRIMER SURFACER

- Recognised as the industry's most productive primer
- Patented air-dry technology – sand in 15 minutes @ 75° F
- Wet-on-wet application – less time in the booth
- Complete a repair in less than 45 minutes when used with HPC21 HP Process Clearcoat or HPC15 HP Process Clearcoat

## BUMPER, CLADDING AND UNDERHOOD APPLICATION OPTIONS

- Hundreds of OEM color matches

### MIX RATIO

**SURFACER:** 4:1:1 | **SPEED:** 2:1:2  
**SEALER:** SEE PDS

## PRIMER SURFACER

- Wet-on-wet application – less time in the booth
- Excellent sprayability, flow and leveling
- Built-in guidecoat simplifies sanding
- Can be mixed with adhesion promoter – eliminating an application step

HARDENERS

<b>H38</b> SPECTRAPRIME® 2K PRIMER/SEALER HARDENER		PINT, QUART, GALLON
<b>UH80</b> AIR DRY/FULL BAKE HARDENER		HALF PINT, PINT, QUART, GALLON
<b>UH900</b> LOW VOC HARDENER		QUART, GALLON

## PRIMER SEALER

- Improves shop productivity
- Wet-on-wet application – less time in the booth
- Excellent sprayability, flow and leveling

REDUCERS

<b>AS8</b> ACCELERATED REDUCER		QUART, GALLON
<b>SR15</b> SPECTRAPRIME® SPEED REDUCER		PINT, QUART
<b>SR16</b> SPECTRAPRIME® SPEED REDUCER		QUART
<b>S45</b> 2K PRIMER SEALER CONVERTER		QUART, GALLON
<b>US1</b> REDUCER COLD		GALLON
<b>US2</b> REDUCER COOL		QUART, GALLON, 5-GALLON
<b>US3</b> REDUCER MODERATE		QUART, GALLON, 5-GALLON
<b>US4</b> REDUCER WARM		QUART, GALLON, 5-GALLON

# PRECISE COLOR.

Sherwin-Williams' global presence and heritage enables not only a continual investment in Research & Development but access to the very latest advances in technology and innovation. Ultra 9K is manufactured in the most sophisticated lab conditions, using advanced technology and high-quality raw materials for precise color accuracy.

Our Ultra 9K toners are rich in pigment, intensity and effect to match all Original Equipment Manufacturer color's currently available in the market. This is backed by the exacting standards of the Ultra System ancillaries - high-performance cleaners, additives, primers/surfacers and clears, guaranteeing a complete system for outstanding results, that will pass even the toughest of tests.

# COLOR SYSTEM

An impressive range of toners - delivering vibrant and brilliant colors, use alongside our global color tools for an accurate color match first time, no matter how complex the finish.

# TONERS

An easy-to-learn color portfolio including pearls, metallics and effects, and easy-to-mix with shake-and-pour containers. And, we cannot ignore an innovative package design that not only makes sure you get every ounce of color out of the can, but keeps the contents inside fresh by preventing any air from getting in.

**MIX RATIO:**

**BASECOAT:** 1:10%

**UNDERHOOD:** 1:20%:6%

REDUCER

**U9R1** STANDARD REDUCER | LITER

OTHER

**U9A1** UNDERHOOD ADDITIVE | LITER

**U9H1** UNIVERSAL HARDENER | QUART

<b>U9001</b>	LAMPBLACK	1 LITER
<b>U9002</b>	SPECIAL BLACK	1 LITER
<b>U9003</b>	BLACK	1 LITER
<b>U9004</b>	DEEP BLACK	1 LITER
<b>U9010</b>	TRANS WHITE	1 LITER
<b>U9011</b>	WHITE	1 LITER
<b>U9012</b>	EXTRA WHITE	1 LITER
<b>U9020</b>	BASE ADDITIVE	1 LITER
<b>U9021</b>	EFFECT ADDITIVE	1 LITER
<b>U9030</b>	GOLD METALLIC	.5 LITER
<b>U9031</b>	ORANGE METALLIC	.5 LITER
<b>U9033</b>	BLUE METALLIC	1 LITER
<b>U9034</b>	BRIGHT RED METALLIC	1 LITER
<b>U9040</b>	ULTRA FINE METALLIC	.5 LITER
<b>U9041</b>	SMALL METALLIC	1 LITER
<b>U9042</b>	BRIGHT SMALL METALLIC	1 LITER
<b>U9043</b>	COARSE METALLIC	1 LITER
<b>U9044</b>	VERY COARSE METALLIC	1 LITER
<b>U9050</b>	FINE WHITE PEARL	.5 LITER
<b>U9051</b>	SMALL WHITE PEARL	.5 LITER
<b>U9052</b>	WHITE PEARL	1 LITER
<b>U9053</b>	CRYSTAL SILVER PEARL	.5 LITER
<b>U9060</b>	GOLD PEARL	.5 LITER
<b>U9061</b>	SUNBEAM GOLD PEARL	.5 LITER
<b>U9070</b>	COPPER PEARL	.5 LITER
<b>U9080</b>	SMALL RED PEARL	.5 LITER
<b>U9081</b>	RED PEARL	.5 LITER
<b>U9082</b>	BRIGHT RED PEARL	.5 LITER
<b>U9083</b>	RADIANT RED PEARL	.5 LITER
<b>U9090</b>	PURPLE PEARL	.5 LITER
<b>U9100</b>	FINE BLUE PEARL	.5 LITER

<b>U9101</b>	BLUE PEARL	1 LITER
<b>U9102</b>	GALAXY BLUE PEARL	.5 LITER
<b>U9110</b>	GREEN PEARL	.5 LITER
<b>U9111</b>	BLUE GREEN PEARL	.5 LITER
<b>U9112</b>	STELLAR GREEN PEARL	.5 LITER
<b>U9120</b>	BRIGHT RED	1 LITER
<b>U9121</b>	SCARLET RED	.5 LITER
<b>U9122</b>	MAGENTA	1 LITER
<b>U9123</b>	TRANS RED	.5 LITER
<b>U9124</b>	RED OXIDE	.5 LITER
<b>U9125</b>	RED TRANSOXIDE	.5 LITER
<b>U9126</b>	TRANSLUCENT MAROON	1 LITER
<b>U9130</b>	HS VIOLET	1 LITER
<b>U9131</b>	HS PURPLE	1 LITER
<b>U9140</b>	MEDIUM BLUE	1 LITER
<b>U9141</b>	BLUE	1 LITER
<b>U9150</b>	HS YELLOW SHADE GREEN	.5 LITER
<b>U9151</b>	HS BLUE SHADE GREEN	.5 LITER
<b>U9154</b>	BRIGHT GREEN BLUE	1 LITER
<b>U9160</b>	HS MAROON	.5 LITER
<b>U9161</b>	COPPER BROWN	.5 LITER
<b>U9170</b>	BRIGHT YELLOW	.5 LITER
<b>U9171</b>	TRANS RED SHADE YELLOW	.5 LITER
<b>U9172</b>	RED SHADE YELLOW	.5 LITER
<b>U9173</b>	PALE YELLOW	.5 LITER
<b>U9174</b>	YELLOW OXIDE	.5 LITER
<b>U9175</b>	YELLOW TRANSOXIDE	.5 LITER
<b>UFX1</b>	GREEN TO MAGENTA FX	110 ML
<b>UFX2</b>	MAGENTA TO TURQUOISE FX	110 ML
<b>UFX3</b>	TURQUOISE TO GOLD FX	110 ML
<b>UFX4</b>	RED TO GOLD FX	110 ML



# ACTIVATORS

Sherwin-Williams activators help to create a uniform coating.

<b>AC 23</b>	EXTRA SHORT	1 LITER, 2.5 LITER
<b>AC 24</b>	SHORT	1 LITER, 2.5 LITER
<b>AC 25</b>	MEDIUM	1 LITER, 2.5 LITER
<b>AC 26</b>	LONG	1 LITER
<b>AC 33</b>	PRODUCTION	0.5 LITER, 2.5 LITER
<b>AC 44</b>	SPEED ELITE	5 LITER
<b>AC 88</b>	CORROSION PROTECTOR	1 LITER, 5 LITER
<b>AC 99</b>	EPOXY	2.5 LITER
<b>AC 55</b>	MATTE REPAIR	1 LITER
<b>AC 66</b>	SPEED	1 LITER
<b>U9A 44</b>	WB SPEED ELITE	0.25 LITER

# REDUCERS

An assortment of reducers created to modify the consistency of paint to deliver a premium finish, suitable for use on any job size and in any climate.

<b>R 01</b>	PRIME UV	1 LITER
<b>R 24</b>	SHORT	1 LITER, 5 LITER
<b>R 25</b>	MEDIUM	1 LITER, 5 LITER
<b>R 26</b>	LONG	1 LITER, 5 LITER
<b>R 27</b>	EXTRA LONG	5 LITER
<b>R 30</b>	DISSOLVER SPRAY	0.4 LITER
<b>R 30</b>	DISSOLVER	1 LITER
<b>R 40</b>	BLENDING	1 LITER
<b>R 55</b>	MATTE REPAIR	1 LITER
<b>U9R1</b>	STANDARD	1 LITER



# CLEARs

Sherwin-Williams clears are designed to achieve an exceptional appearance and distinctness of image no matter the environment or type of repair.

## ULTRA SYSTEM CLEAR

Easily achieve the various gloss levels required to match any OEM low and semi-gloss finish by mixing these two clears. A matte selector is also available to choose from in the Color Retrieval System.

<b>CC154</b>	<b>MATTE REPAIR LG</b>	<b>1 LITER</b>
<b>CC156</b>	<b>MATTE REPAIR SG</b>	<b>1 LITER</b>

## CC166

### ULTRA SYSTEM CLEAR SPEED

Specifically developed for high production shops, this clear can be reduced with a Sherwin-Williams Ultra System Reducer or AD860 Ultra System Additive Accelerator to decrease the drying time to as short as 10 minutes at 60°C for accelerated productivity.

**SIZE AVAILABLE**  
**5 LITER**



# CC200

## DYNAMIC CLEARCOAT

The CC200 Dynamic Clearcoat created a new category in premium clearcoats—achieving a far superior appearance in far less time than a traditional glamour clear. Exceeding in gloss, holdout and DOI, CC200 does not sacrifice productivity—ever.

- Use in any repair setting or for any application
- Can be short-baked for increased throughput
- Flex additive not required (features Ure-Flex™ technology)
- For National Rule markets

### SIZE AVAILABLE

QUART, GALLON

# CC250

## DYNAMIC+ CLEARCOAT

The CC250 Dynamic+ Clearcoat delivers production and profit-driven success in the shop. CC250 is also not lacking on gloss level and holdout.

- Short-bake option
- Ure-Flex® Technology
- Coast-to-coast compliant

### SIZE AVAILABLE

QUART, GALLON

### MIX RATIO: 4:1:1

HARDENERS	UH80 AIR DRY/FULL BAKE HARDENER	HALF PINT, PINT, QUART, GALLON
	UH900 LOW VOC HARDENER	QUART, GALLON

### MIX RATIO: 4:1:15%

HARDENERS	UH80 AIR DRY/FULL BAKE HARDENER	HALF PINT, PINT, QUART, GALLON
-----------	---------------------------------	--------------------------------

REDUCERS	US2 REDUCER COOL	QUART, GALLON, 5-GALLON
	US3 REDUCER MODERATE	QUART, GALLON, 5-GALLON
	US4 REDUCER WARM	QUART, GALLON, 5-GALLON
	US5 REDUCER HOT	QUART, GALLON
	US6 REDUCER TROPICAL	GALLON

HARDENERS	ES20 COMPLIANT	QUART, GALLON
	SOLVENT #3	GALLON

REDUCERS	ES25 COMPLIANT	GALLON
	SOLVENT#4	GALLON
	ES55 LOW VOC MEDIUM REDUCER	GALLON
	ES56 LOW VOC SLOW REDUCER	GALLON
	US2 REDUCER COOL	QUART, GALLON, 5-GALLON
	US3 REDUCER MODERATE	QUART, GALLON, 5-GALLON
US4 REDUCER WARM	QUART, GALLON, 5-GALLON	
US5 REDUCER HOT	QUART, GALLON	
US6 REDUCER TROPICAL	GALLON	



# HPC15

## HP PROCESS CLEARCOAT

Formulated with AIR-BAKE Technology for speed in application, HPC15 HP Process Clearcoat over delivers on productivity with zero bake-time and appearance with a high gloss finish.

- No high temp bake cycle required
- Workable, buffable in as little as 15 minutes (at 75 degree Fahrenheit)
- For single to multi-panel rapid repairs
- For National Rule markets

### SIZE AVAILABLE

QUART, GALLON

### MIX RATIO:

1-3 PANELS: 5:1:1 | 3+ PANELS: 4:1:1

### HARDENERS

<b>UH80</b> AIR DRY/FULL BAKE HARDENER		HALF PINT, PINT, QUART, GALLON
<b>UH90</b> SLOW HARDENER		QUART

### REDUCERS

<b>US2</b> REDUCER COOL		QUART, GALLON, 5-GALLON
<b>US3</b> REDUCER MODERATE		QUART, GALLON, 5-GALLON
<b>US4</b> REDUCER WARM		QUART, GALLON, 5-GALLON
<b>US5</b> REDUCER HOT		QUART, GALLON

# HPC21

## HP PROCESS CLEARCOAT

HPC21 HP Process Clearcoat is a cycle time driver – no bake required, which makes it ideal for rapid repairs.

- Increased productivity and energy savings
- Workable, buffable in as little as 20 minutes (at 75 degree Fahrenheit)
- For single to multi-panel rapid repairs
- Coast-to-coast compliant

### SIZE AVAILABLE

QUART, GALLON

### MIX RATIO: 4:1:1

### HARDENERS

<b>UH80</b> AIR DRY/FULL BAKE HARDENER		HALF PINT, PINT, QUART, GALLON
<b>UH900</b> LOW VOC HARDENER		QUART, GALLON

### REDUCERS

<b>ES10</b> COMPLIANT SOLVENT #1		GALLON
<b>ES15</b> COMPLIANT SOLVENT #2		QUART, GALLON
<b>ES20</b> COMPLIANT SOLVENT #3		QUART, GALLON
<b>ES55</b> LOW VOC MEDIUM REDUCER		GALLON
<b>ES56</b> LOW VOC SLOW REDUCER		GALLON
<b>US2</b> REDUCER COOL		QUART, GALLON, 5-GALLON
<b>US3</b> REDUCER MODERATE		QUART, GALLON, 5-GALLON
<b>US4</b> REDUCER WARM		QUART, GALLON, 5-GALLON
<b>US5</b> REDUCER HOT		QUART, GALLON



# 1100755

## ELEGANCE™ CLEARCOAT

Our 1100755 Elegance™ Clearcoat surpasses all others in its category when it comes to appearance (extreme gloss and DOI) and ease of use—a front runner for force-dry/booth applications.

- For multi-panel and overall repairs

### SIZE AVAILABLE

GALLON

### MIX RATIO: 2:1:1

<b>HARDENERS</b>	<b>UH70</b> AIR DRY/SHORT BAKE HARDENER		<b>PINT, QUART</b>
	<b>UH80</b> AIR DRY/FULL BAKE HARDENER		<b>HALF PINT, PINT, QUART, GALLON</b>
	<b>UH900</b> LOW VOC HARDENER		<b>QUART, GALLON</b>

<b>REDUCERS</b>	<b>ES55</b> LOW VOC MEDIUM REDUCER		<b>GALLON</b>
	<b>ES56</b> LOW VOC SLOW REDUCER		<b>GALLON</b>
	<b>US4</b> REDUCER WARM		<b>QUART, GALLON, 5-GALLON</b>
	<b>US5</b> REDUCER HOT		<b>QUART, GALLON</b>
	<b>US6</b> REDUCER TROPICAL		<b>GALLON</b>

# 1100727

## MATTE CLEARCOAT

A matte clearcoat, 1100727 is a pre-flexed, elastomeric, versatile urethane formula that provides the ability to achieve various gloss levels in line with today's refinishing trends—from eggshell to satin and semi-gloss.

- Coast-to-coast compliant

### SIZE AVAILABLE

QUART

### MIX RATIO: 5:1:1

<b>HARDENERS</b>	<b>UH80</b> AIR DRY/FULL BAKE HARDENER		<b>HALF PINT, PINT, QUART, GALLON</b>
	<b>UH900</b> LOW VOC HARDENER		<b>QUART, GALLON</b>

<b>REDUCERS</b>	<b>ES55</b> LOW VOC MEDIUM REDUCER		<b>GALLON</b>
	<b>ES56</b> LOW VOC SLOW REDUCER		<b>GALLON</b>
	<b>US1</b> REDUCER COLD		<b>GALLON</b>
	<b>US2</b> REDUCER COOL		<b>QUART, GALLON, 5-GALLON</b>
	<b>US3</b> REDUCER MODERATE		<b>QUART, GALLON, 5-GALLON</b>
	<b>US4</b> REDUCER WARM		<b>QUART, GALLON, 5-GALLON</b>
<b>US5</b> REDUCER HOT		<b>QUART, GALLON</b>	
<b>US6</b> REDUCER TROPICAL		<b>GALLON</b>	